

Induced biosynthesis of cryptic polyketide metabolites in a *Burkholderia thailandensis* quorum sensing mutant.

Ishida K, Lincke T, Behnken S, Hertweck C (2010) Induced biosynthesis of cryptic polyketide metabolites in a *Burkholderia thailandensis* quorum sensing mutant. *J Am Chem Soc* 132(40), 13966-13968.

[Details](#)



Abstract

Genetic manipulation of the LuxR-type quorum sensing regulator system in *Burkholderia thailandensis* caused a significant change in the metabolic profile: it led to activation of the thailandamide biosynthesis gene cluster, dramatically increased thailandamide production, and induced strong pigmentation. A novel polyketide metabolite, thailandamide lactone (2), which cannot be detected in the wild type, was isolated from the mutant broth, and its structure was elucidated by high-resolution mass spectrometry and IR and NMR spectroscopy. In a biological assay using tumor cell lines, 2 showed moderate antiproliferative activities. This finding not only points to complex regulation but also serves as a proof of concept that engineering quorum sensing mutants may enable the discovery of novel bioactive natural products encoded by silent or only weakly expressed biosynthetic pathway genes.

Beteiligte Forschungseinheiten

[Biomolekulare Chemie](#) [Christian Hertweck](#) [Mehr erfahren](#)

Leibniz-HKI-Autor*innen



Christian Hertweck

[Details](#)



Keishi Ishida

[Details](#)

Identifier

doi: 10.1021/ja105003g

PMID: 20853892

