

Publications

Cao H, Dauben TJ, Helbing C, Jia Z, Zhang Y, Huang M, Müller L, Gu S, Zhang X, Qin H, Martin K, Bossert J, Jandt KD (2022) The antimicrobial effect of calcium-doped titanium is activated by fibrinogen adsorption. *Mater Horiz* 9(7), 1962-1968.

Mahler L, Niehs SP, Martin K, Weber T, Scherlach K, Hertweck C, Roth M, Rosenbaum MA (2021) Highly parallelized droplet cultivation and prioritization of antibiotic producers from natural microbial communities. *eLife* 10, e64774.

Reddersen K, Güllmar A, Tonndorf-Martini S, Sigusch BW, Ewald A, Dauben TJ, Martin K, Wiegand C (2021) Critical parameters in cultivation of experimental biofilms using the example of *Pseudomonas fluorescens*. *J Mater Sci Mater Med* 32(9), 96.

Benndorf R, Martin K, Kufner M, de Beer ZW, Vollmers J, Kaster AK, Beemelmans C (2020) *Actinomadura rubteroloni* sp. nov. and *Actinomadura macrotermitis* sp. nov., isolated from the gut of the fungus growing-termite *Macrotermes natalensis*. *Int J Syst Evol Microbiol* 70(10), 5255-5262.

Benndorf R, Schwitalla JW, Martin K, de Beer ZW, Vollmers J, Kaster AK, Poulsen M, Beemelmans C (2020) *Nocardia macrotermitis* sp. nov. and *Nocardia aurantia* sp. nov., isolated from the gut of the fungus-growing termite *Macrotermes natalensis*. *Int J Syst Evol Microbiol* 70(10), 5226-5234.

Neupane S, Ghosh A, Gunther S, Martin K, Zurek L (2020) *Culicoidibacter larvae* gen. nov., sp. nov., from the gastrointestinal tract of the biting midge (*Culicoides sonorensis*) larva, belongs to a novel lineage *Culicoidibacteraceae* fam. nov., *Culicoidibacterales* ord. nov. and *Culicoidibacteria* classis nov. of the phylum *Firmicutes*. *Int J Syst Evol Microbiol* 70(12), 6482-6490.

Schwitalla JW, Benndorf R, Martin K, Vollmers J, Kaster AK, de Beer ZW, Poulsen M, Beemelmans C (2020) *Streptomyces smaragdinus* sp. nov. isolated from the gut of fungus growing-termite *Macrotermes natalensis*. *Int J Syst Evol Microbiol* 70(11), 5806-5811.

Benndorf R, Guo H, Sommerwerk E, Weigel C, Garcia-Altare M, Martin K, Hu H, Kuefner M, de Beer ZW, Poulsen M, Beemelmans C (2018) Natural products from Actinobacteria associated with fungus-growing termites. *Antibiotics* 7(3), 83.

Mahler L, Wink K, Beulig RJ, Scherlach K, Tovar M, Zang E, Martin K, Hertweck C, Belder D, Roth M (2018) Publisher Correction: Detection of antibiotics synthesized in microfluidic picolitre-droplets by various actinobacteria. *Sci Rep* 8(1), 15859.

Mohr KI, Wolf C, Nübel U, Szafrńska AK, Steglich M, Hennessen F, Gemperlein K, Kämpfer P, Martin K, Müller R, Wink J (2018) A polyphasic approach leads to seven new species of the cellulose-decomposing genus *Sorangium*, *Sorangium ambruticinum* sp. nov., *Sorangium arenae* sp. nov., *Sorangium bulgaricum* sp. nov., *Sorangium dawidii* sp. nov., *Sorangium kenyense* sp. nov.... *Int J Syst Evol Microbiol* 68(11), 3576-3586.

Pan X, Kage H, Martin K, Nett M (2017) *Herpetosiphon poelensis* sp. nov., a filamentous predatory bacterium isolated from sandy soil and *Herpetosiphon giganteus*. *Int J Syst Evol Microbiol* 67(7), 2476-2481.

- Wink J, Schumann P, Atasayar E, Klenk HP, Zaburanyi N, Westermann M, Martin K, Glaeser SP, Kämpfer P (2017) '*Streptomyces caelicus*', an antibiotic-producing species of the genus *Streptomyces*, and *Streptomyces canchipurensis* Li et al. 2015 are later heterotypic synonyms of *Streptomyces muensis* Ningthoujam et al. 2014. *Int J Syst Evol Microbiol* 67(3), 548-556.
- Heine D, Sundaram S, Beudert M, Martin K, Hertweck C (2016) A widespread bacterial phenazine forms conjugates with biogenic thiols and crosslinks proteins. *Chem Sci* 7, 4848-4855.
- Horn F, Linde J, Mattern DJ, Walther G, Guthke R, Scherlach K, Martin K, Brakhage AA, Petzke L, Valiante V (2016) Draft genome sequences of fungus *Aspergillus calidoustus*. *Genome Announc* 4(2), e00102-16.
- Kämpfer P, Glaeser SP, Kloepper JW, Hu CH, McInroy JA, Martin K, Busse HJ (2016) *Isophtericola cucumis* sp. nov., isolated from the root tissue of cucumber (*Cucumis sativus*). *Int J Syst Evol Microbiol* 66(8), 2784-2788.
- Walther E, Boldt S, Kage H, Lauterbach T, Martin K, Roth M, Hertweck C, Sauerbrei A, Schmidtke M, Nett M (2016) Zincophorin – biosynthesis in *Streptomyces griseus* and antibiotic properties *GMS Infect Dis* 4, Doc08.
- Kämpfer P, Martin K, McInroy JA, Glaeser SP (2015) Proposal of *Novosphingobium rhizosphaerae* sp. nov., isolated from the rhizosphere. *Int J Syst Evol Microbiol* 65(1), 195-200.
- Heine D, Martin K, Hertweck C (2014) Genomics-guided discovery of endophenazines from *Kitasatospora* sp. HKI 714. *J Nat Prod* 77(4), 1083-1087.
- Kämpfer P, Dott W, Martin K, Glaeser SP (2014) *Rhodococcus defluvii* sp. nov., isolated from wastewater of a bioreactor and formal proposal to reclassify [*Corynebacterium hoagii*] and *Rhodococcus equi* as *Rhodococcus hoagii* comb. nov. *Int J Syst Evol Microbiol* 64(Pt 3), 755-761.
- Wink J, Schumann P, Spöer C, Eisenbarth K, Glaeser SP, Martin K, Kämpfer P (2014) Emended description of *Actinoplanes friuliensis* and description of *Actinoplanes nipponensis* sp. nov., antibiotic-producing species of the genus *Actinoplanes*. *Int J Syst Evol Microbiol* 64(Pt 2), 599-606.
- Cao J, Goldhan J, Martin K, Köhler JM (2013) Investigation of mixture toxicity of widely used drugs caffeine and ampicillin in the presence of an ACE inhibitor on bacterial growth using droplet-based microfluidic technique. *Green Process Synth* 2(6), 591-601.
- Cao J, Kürsten D, Krause K, Kothe E, Martin K, Roth M, Köhler JM (2013) Application of micro-segmented flow for two-dimensional characterization of the combinatorial effect of zinc and copper ions on metal-tolerant *Streptomyces* strains. *Appl Microbiol Biotechnol* 97(20), 8923-8930.
- Galatis H, Martin K, Kämpfer P, Glaeser SP (2013) *Devosia epidermidihirudinis* sp. nov. isolated from the surface of a medical leech. *Antonie Van Leeuwenhoek* 103(5), 1165-1171.
- Glaeser SP, Bolte K, Martin K, Busse HJ, Grossart HP, Kämpfer P, Glaeser J (2013) *Novosphingobium fuchskuhlense* sp. nov., isolated from the north-east basin of Lake Grosse Fuchskuhle. *Int J Syst Evol Microbiol* 63(Pt 2), 586-592.
- Glaeser SP, Falsen E, Martin K, Kämpfer P (2013) *Alicyclobacillus consociatus* sp. nov., isolated

from a human clinical specimen. *Int J Syst Evol Microbiol* 63(Pt 10), 3623-3627.

Glaeser SP, Galatis H, Martin K, Kämpfer P (2013) *Niabella hirudinis* and *Niabella drilacis* sp. nov., isolated from the medicinal leech *Hirudo verbana*. *Int J Syst Evol Microbiol* 63(Pt 9), 3487-3493.

Glaeser SP, Galatis H, Martin K, Kämpfer P (2013) *Castellaniella hirudinis* sp. nov., isolated from the skin of *Hirudo verbana*. *Int J Syst Evol Microbiol* 63(Pt 2), 521-525.

Glaeser SP, Galatis H, Martin K, Kämpfer P (2013) *Flavobacterium cutihirudinis* sp. nov., isolated from the skin of the medical leech *Hirudo verbana*. *Int J Syst Evol Microbiol* 63(Pt 8), 2841-2847.

Glaeser SP, Galatis H, Martin K, Kämpfer P (2013) *Kaistia hirudinis* sp. nov., isolated from the skin of *Hirudo verbana*. *Int J Syst Evol Microbiol* 63(Pt 9), 3209-3213.

Gurovic VMS, Müller S, Domin N, Seccareccia I, Nietzsche S, Martin K, Nett M (2013) *Micromonospora schwarzwaldensis* sp. nov., a producer of telomycin, isolated from soil. *Int J Syst Evol Microbiol* 63(Pt 10), 3812-3817.

Kämpfer P, Glaeser SP, Schäfer J, Lodders N, Martin K, Schumann P (2013) *Ornithinimicrobium murale* sp. nov., isolated from an indoor wall colonized by moulds. *Int J Syst Evol Microbiol* 63(Pt 1), 119-123.

Kämpfer P, Martin K, Dott W (2013) *Gordonia phosphorivorans* sp. nov., isolated from a wastewater bioreactor with phosphorus removal. *Int J Syst Evol Microbiol* 63(Pt 1), 230-235.

Kämpfer P, Martin K, Glaeser SP (2013) *Lysinibacillus contaminans* sp. nov., isolated from surface water. *Int J Syst Evol Microbiol* 63(Pt 9), 3148-3153.

Kämpfer P, Wellner S, Lohse K, Lodders N, Martin K (2013) *Rhodococcus cerastii* sp. nov. and *Rhodococcus trifolii* sp. nov., two novel species isolated from leaf surfaces. *Int J Syst Evol Microbiol* 63(Pt 3), 1024-1029.

Zang E*, Brandes S*, Tovar M, Martin K, Mech F, Horbert P, Henkel T, Figge MT, Roth M (2013) Real-time image processing for label-free enrichment of Actinobacteria cultivated in picolitre droplets. *Lab Chip* 13(18), 3707-3713, *authors contributed equally.

Glaeser SP, Galatis H, Martin K, Kämpfer P (2012) *Luteolibacter cuticuli-hirudinis* sp. nov., isolated from *Hirudo medicinalis*. *Antonie Van Leeuwenhoek* 102(2), 319-324.

Kämpfer P, Arun AB, Young CC, Rekha PD, Martin K, Busse HJ, Chen WM (2012) *Microbulbifer taiwanensis* sp. nov., isolated from coastal soil. *Int J Syst Evol Microbiol* 62(Pt 10), 2485-2489.

Kämpfer P, Falsen E, Lodders N, Martin K, Kassmannhuber J, Busse HJ (2012) *Paenibacillus chartarius* sp. nov., isolated from a paper mill. *Int J Syst Evol Microbiol* 62(Pt 6), 1342-1347.

Kämpfer P, Lai WA, Arun AB, Young CC, Rekha PD, Martin K, Busse HJ, Chen WM (2012) *Paracoccus rhizosphaerae* sp. nov., isolated from the rhizosphere of the plant *Crossostephium chinense* (L.) Makino (Seremban). *Int J Syst Evol Microbiol* 62(Pt 11), 2750-2756.

Kämpfer P, Lodders N, Grün-Wollny I, Martin K, Busse HJ (2012) *Nocardia grenadensis* sp. nov., isolated from sand of the Caribbean Sea. *Int J Syst Evol Microbiol* 62(Pt 3), 693-697.

- Kämpfer P, Lodders N, Martin K, Avendaño-Herrera R (2012) *Flavobacterium chilense* sp. nov. and *Flavobacterium araucanum* sp. nov., isolated from farmed salmonid fish. *Int J Syst Evol Microbiol* 62(Pt 6), 1402-1408.
- Kämpfer P, Lodders N, Martin K, Falsen E (2012) *Massilia oculi* sp. nov., isolated from a human clinical specimen. *Int J Syst Evol Microbiol* 62(Pt 2), 364-369.
- Kämpfer P, Schäfer J, Lodders N, Martin K (2012) *Microbacterium murale* sp. nov., isolated from an indoor wall. *Int J Syst Evol Microbiol* 62(Pt 11), 2669-2673.
- Kämpfer P, Wellner S, Lohse K, Martin K, Lodders N (2012) *Duganella phyllosphaerae* sp. nov., isolated from the leaf surface of *Trifolium repens* and proposal to reclassify *Duganella violaceinigra* into a novel genus as *Pseudoduganella violaceinigra* gen. nov., comb. nov. *Syst Appl Microbiol* 35(1), 19-23.
- Roth M, Martin K, Zang E, Nett M, Henkel T (2012) A microfluidics-based approach to drug discovery. *Biomed Tech (Berl)* 57(SI-1 Track-B), 270.
- Kämpfer P, Lodders N, Martin K, Falsen E (2011) Revision of the genus *Massilia* La Scola et al. 2000, with an emended description of the genus and inclusion of all species of the genus *Naxibacter* as new combinations, and proposal of *Massilia consociata* sp. nov. *Int J Syst Evol Microbiol* 61(Pt 7), 1528-1533.
- Kiss H, Nett M, Domin N, Martin K, Maresca JA, Copeland A, Lapidus A, Lucas S, Berry KW, Glavina Del Rio T, Dalin E, Tice H, Pitluck S, Richardson P, Bruce D, Goodwin L, Han C, Detter JC, Schmutz J, Brettin T, Land M, Hauser L, Kyrpides NC, Ivanova N, Göker M, Woyke T, Klenk HP, Bryant DA (2011) Complete genome sequence of the filamentous gliding predatory bacterium *Herpetosiphon aurantiacus* type strain (114-95(T)). *Stand Genomic Sci* 5(3), 356-370.
- Rekha PD, Young CC, Kämpfer P, Martin K, Arun AB, Chen WM, Lai WA, Chao JH, Shen FT (2011) *Jhaorihella thermophila* gen. nov., sp. nov., a moderately thermophilic bacterium isolated from a coastal hot spring. *Int J Syst Evol Microbiol* 61(Pt 7), 1544-1548.
- Kämpfer P, Schäfer J, Lodders N, Martin K (2010) *Microlunatus parietis* sp. nov., isolated from an indoor wall. *Int J Syst Evol Microbiol* 60(Pt 10), 2420-2423.
- Kämpfer P, Schäfer J, Lodders N, Martin K (2010) *Murinocardiopsis flavida* gen. nov., sp. nov., an actinomycete isolated from indoor walls. *Int J Syst Evol Microbiol* 60(Pt 8), 1729-1734.
- Martin K, Schäfer J, Kämpfer P (2010) *Promicromonospora umidemergens* sp. nov., isolated from moisture from indoor wall material. *Int J Syst Evol Microbiol* 60(Pt 3), 537-541.
- Schäfer J, Martin K, Kämpfer P (2010) *Citricoccus parietis* sp. nov., isolated from a mould-colonized wall and emended description of *Citricoccus alkalitolerans* Li et al. 2005. *Int J Syst Evol Microbiol* 60(Pt 2), 271-274.
- Schäfer J, Martin K, Kämpfer P (2010) *Prauserella muralis* sp. nov., from the indoor environment. *Int J Syst Evol Microbiol* 60(Pt 2), 287-290.
- Funfak A, Cao J, Wolfbeis OS, Martin K, Köhler J-M (2009) Monitoring cell cultivation in microfluidic segments by optical pH sensing with a micro flow-through fluorometer using dye-doped polymer particles *Microchimica Acta* 164(3-4), 279-286.

Funfak A, Hartung R, Cao J, Martin K, Wiesmüller K-H, Wolfbeis OS, Köhler JM (2009) Highly resolved dose-response functions for drug-modulated bacteria cultivation obtained by fluorometric and photometric flow-through sensing in microsegmented flow *Sensors and Actuators B: Chemical* 142(1), 66-72.

Kämpfer P, Martin K, Schäfer J, Schumann P (2009) *Kytococcus aerolatus* sp. nov., isolated from indoor air in a room colonized with moulds. *Syst Appl Microbiol* 32(5), 301-305.

Schäfer J, Trautmann C, Dill I, Fischer G, Gabrio T, Groth I, Jäckel U, Lorenz W, Martin K, Miljanic T, Szewzyk R, Weidner U, Kämpfer P (2009) Vorkommen von Actinomyceten in Innenräumen. *Gefahrstoffe-Reinhaltung der Luft* 9, 335-341.

Schroeckh V, Scherlach K, Nützmann HW, Shelest E, Schmidt-Heck W, Schuemann J, Martin K, Hertweck C, Brakhage AA (2009) Intimate bacterial-fungal interaction triggers biosynthesis of archetypal polyketides in *Aspergillus nidulans*. *Proc Natl Acad Sci U S A* 106(34), 14558-14563.

Köhler JM, Henkel T, Grodrian A, Kirner T, Roth M, Martin K, Metze J (2004) Digital reaction technology by micro segmented flow—components, concepts and applications *Chemical Engineering Journal* 101, 201-216.

Martin K, Henkel T, Baier V, Grodrian A, Schön T, Roth M, Michael Köhler J, Metze J (2003) Generation of larger numbers of separated microbial populations by cultivation in segmented-flow microdevices. *Lab Chip* 3(3), 202-207.

* equal contribution # corresponding author