

Publications

Brandt P^{*}, Mirhakkak MH^{*}, Wagner L, Driesch D, Möslinger A, Fänder P, Schäuble S, Panagiotou G, Vylkova S[#] (2023) High-throughput profiling of *Candida auris* isolates reveals clade-specific metabolic differences. *Microbiol Spectr* 11(3), e0049823. (Review)

Garbe E, Thielemann N, Hohner S, Kumar A, Vylkova S, Kurzai O, Martin R (2023) Functional analysis of the *Candida albicans* ECE1 Promoter. *Microbiol Spectr* 11(2), e0025323.

Häder A[#], Schäuble S[#], Gehlen J, Thielemann N, Buerfent BC, Schüller V, Hess T, Wolf T, Schröder J, Weber M, Hünninger K, Löffler J, Vylkova S, Panagiotou G, Schumacher J, Kurzai O (2023) Pathogen-specific innate immune response patterns are distinctly affected by genetic diversity. *Nat Commun* 14(1), 3239.

Rebai Y, Wagner L, Gnaïen M, Hammer ML, Kapitan M, Niemiec MJ, Mami W, Mosbah A, Messadi E, Mardassi H, Vylkova S, Jacobsen ID, Znaidi S[#] (2023) *Escherichia coli* nissle 1917 antagonizes *Candida albicans* growth and protects intestinal cells from *C. albicans*-mediated damage. *Microorganisms* 11(8), 1929.

Alonso-Roman R, Last A, Mirhakkak MH, Sprague JL, Möller L, Großmann P, Graf K, Gratz R, Mogavero S, Vylkova S, Panagiotou G, Schäuble S, Hube B, Gresnigt MS (2022) *Lactobacillus rhamnosus* colonisation antagonizes *Candida albicans* by forcing metabolic adaptations that compromise pathogenicity. *Nat Commun* 13(1), 3192.

Böttcher B, Driesch D, Krüger T, Garbe E, Gerwien F, Kniemeyer O, Brakhage AA, Vylkova S (2022) Impaired amino acid uptake leads to global metabolic imbalance of *Candida albicans* biofilms. *NPJ Biofilms Microbiomes* 8(1), 78.

Brandt P, Gerwien F, Wagner L, Krüger T, Ramírez-Zavala B, Mirhakkak MH, Schäuble S, Kniemeyer O, Panagiotou G, Brakhage AA, Morschhäuser J, Vylkova S (2022) *Candida albicans* SR-like protein kinases regulate different cellular processes: Sky1 is involved in control of ion homeostasis, while Sky2 is important for dipeptide utilization. *Front Cell Infect Microbiol* 12, 850531.

Garbe E, Gerwien F, Driesch D, Müller T, Böttcher B, Gräler M, Vylkova S (2022) Systematic metabolic profiling identifies *de novo* sphingolipid synthesis as hypha associated and essential for *Candida albicans* filamentation. *mSystems* 7(6), e0053922.

Garbe E, Miramón P, Gerwien F, Ueberschaar N, Hansske-Braun L, Brandt P, Böttcher B, Lorenz M, Vylkova S (2022) GNP2 encodes a high-specificity proline permease in *Candida albicans*. *mBio* 13(1), e0314221.

Mirhakkak M, Schäuble S, Klassert T, Brunke S, Brandt P, Loos D, Uribe R, de Oliveira Lino FS, Ni Y, Vylkova S, Slevogt H, Hube B, Weiss G, Sommer M, Panagiotou G[#] (2021) Metabolic modeling predicts specific gut bacteria as key determinants for *Candida albicans* colonization levels. *ISME J* 15(5), 1257-1270.

Böttcher B, Hoffmann B, Garbe E, Weise T, Cseresnyés Z, Brandt P, Dietrich S, Driesch D, Figge MT, Vylkova S (2020) The transcription factor Stp2 is important for *Candida albicans* biofilm establishment and sustainability. *Front Microbiol* 11, 794.

Brandt P, Garbe E, Vylkova S (2020) Catch the wave: Metabolomic analyses in human pathogenic fungi. *PLOS Pathog* 16(8), e1008757. (Review)

Gerwien F, Dunker C, Brandt P, Garbe E, Jacobsen ID, Vylkova S (2020) Clinical *Candida albicans* vaginal isolates and a laboratory strain show divergent behaviors during macrophage interactions. *mSphere* 5(4), e00393-20.

Ruben S, Garbe E, Mogavero S, Albrecht-Eckardt D, Hellwig D, Häder A, Krüger T, Gerth K, Jacobsen ID, Elshafee O, Brunke S, Hünninger K, Kniemeyer O, Brakhage AA, Morschhäuser J, Hube B, Vylkova S, Kurzai O, Martin R (2020) Ahr1 and Tup1 contribute to the transcriptional control of virulence-associated genes in *Candida albicans*. *mBio* 11(2), e00206-20.

von Müller C, Bulman F, Wagner L, Rosenberger D, Marolda A, Kurzai O, Eißmann P, Jacobsen ID, Perner B, Hemmerich P, Vylkova S (2020) Active neutrophil responses counteract *Candida albicans* burn wound infection of *ex vivo* human skin explants. *Sci Rep* 10(1), 21818.

Wagner L, Bloos F, Vylkova S (2020) Bloodstream infection due to *Enterobacter ludwigii*, correlating with massive aggregation on the surface of a central venous catheter. *Infection* 48(6), 955-958.

Weise T, Böttcher B, Vylkova S (2020) Bioflux analysis. *Protocols* ,

Garbe E, Vylkova S (2019) Role of amino acid metabolism in the virulence of human pathogenic fungi. *Curr Clin Micro Rpt* 6(9), 108-119. (Review)

Vylkova S (2017) Environmental pH modulation by pathogenic fungi as a strategy to conquer the host. *PLOS Pathog* 13(2), e1006149.

Danhof HA, Vylkova S, Vesely EM, Ford AE, Gonzalez-Garay M, Lorenz MC (2016) Robust Extracellular pH Modulation by *Candida albicans* during Growth in Carboxylic Acids. *MBio* 7(6),

Vylkova S, Lorenz MC (2014) Modulation of phagosomal pH by *Candida albicans* promotes hyphal morphogenesis and requires Stp2p, a regulator of amino acid transport. *PLOS Pathog* 10(3), e1003995.

Vylkova S, Carman AJ, Danhof HA, Collette JR, Zhou H, Lorenz MC (2011) The fungal pathogen *Candida albicans* autoinduces hyphal morphogenesis by raising extracellular pH. *MBio* 2(3), e00055.

Miranda M, Bashi E, Vylkova S, Edgerton M, Slayman C, Rivetta A (2009) Conservation and dispersion of sequence and function in fungal TRK potassium transporters: focus on *Candida albicans*. *FEMS Yeast Res* 9(2), 278-292.

Carman AJ, Vylkova S, Lorenz MC (2008) Role of acetyl coenzyme A synthesis and breakdown in alternative carbon source utilization in *Candida albicans*. *Eukaryot Cell* 7(10), 1733-1741.

Vylkova S, Jang WS, Li W, Nayyar N, Edgerton M (2007) Histatin 5 initiates osmotic stress response in *Candida albicans* via activation of the Hog1 mitogen-activated protein kinase pathway. *Eukaryot Cell* 6(10), 1876-1888.

Vylkova S, Nayyar N, Li W, Edgerton M (2007) Human beta-defensins kill *Candida albicans* in an energy-dependent and salt-sensitive manner without causing membrane disruption. *Antimicrob*

Agents Chemother 51(1), 154-161.

Vylkova S, Sun JN, Edgerton M (2007) The role of released ATP in killing *Candida albicans* and other extracellular microbial pathogens by cationic peptides. *Purinergic Signal* 3(1-2), 91-97.

Vylkova S, Li XS, Berner JC, Edgerton M (2006) Distinct antifungal mechanisms: beta-defensins require *Candida albicans* Ssa1 protein, while Trk1p mediates activity of cysteine-free cationic peptides. *Antimicrob Agents Chemother* 50(1), 324-331.

Baev D, Rivetta A, Vylkova S, Sun JN, Zeng GF, Slayman CL, Edgerton M (2004) The TRK1 potassium transporter is the critical effector for killing of *Candida albicans* by the cationic protein, Histatin 5. *J Biol Chem* 279(53), 55060-55072.

Baev D, Rivetta A, Li XS, Vylkova S, Bashi E, Slayman CL, Edgerton M (2003) Killing of *Candida albicans* by human salivary histatin 5 is modulated, but not determined, by the potassium channel TOK1. *Infect Immun* 71(6), 3251-3260.

Dong J, Vylkova S, Li XS, Edgerton M (2003) Calcium blocks fungicidal activity of human salivary histatin 5 through disruption of binding with *Candida albicans*. *J Dent Res* 82(9), 748-752.

*equal contribution #corresponding author