

Publications

Nychas E^{*}, Marfil-Sánchez A^{*}, Chen X, Mirhakkak M, Li H, Jia Q, Xu A, Nielsen HB, Niewdorp M, Loomba R, Ni Y[#], Panagiotou G[#] (2025) Discovery of robust and highly specific microbiome signatures of non-alcoholic fatty liver disease. *Microbiome* 13(1), 10.

Chen J, Lu RS, Diaz-Canestro C, Song E, Jia X, Liu Y, Wang C, Cheung CKY, Panagiotou G[#], Xu A[#] (2024) Distinct changes in serum metabolites and lipid species in the onset and progression of NAFLD in obese Chinese. *Comput Struct Biotechnol J* 23(2024), 791-800.

Garcia-Morena D, Fernandez-Cantos MV, Lopez Escalera S, Lok J, Iannone V, Cancellieri P, Maathuis W, Panagiotou G, Aranzamendi C, El Aidy S, Kolehmainen M, El-Nezami H, Wellejus A, Kuipers OP (2024) *In-vitro* influence of specific Bacteroidales strains on gut and liver health related to Metabolic dysfunction-associated fatty liver disease. *Probiotics Antimicrob Proteins* [Epub ahead of print]

Hedin KA, Mirhakkak MH, Vaaben TH, Sands C, Pedersen M, Baker A, Vazquez-Urbe R, Schäuble S, Panagiotou G[#], Wellejus A[#], Sommer MOA[#] (2024) *Saccharomyces boulardii* enhances anti-inflammatory effectors and AhR activation via metabolic interactions in probiotic communities. *ISME Journal* 18(1), wrae212.

Houttu V^{*}, Boulund U^{*}, Troelstra M, Csader S, Stols-Gonçalves D, Mak AL, Dijk AMv, Bouts J, Winkelmeijer M, Verdoes X, van den Berg-Faay S, Lek D, Ronteltap T, de Haan F, Jorstad H, Männistö V, Savonen K, Pentikäinen H, Hanhineva K, Babu AF, Panagiotou G, van Delden O, Verheij J, Doukas M, Nederveen A, Schwab U, Grefhorst A, Nieuwdorp M, Holleboom AG[#] (2024) Deep phenotyping of patients with MASLD upon high-intensity interval training. *JHEP Reports* ,

Li H^{*}, Zhang L^{*}, Li J^{*}, Wu Q^{*}, Qian L, He J, Ni Y, Kovatcheva-Datchary P, Yuan R, Liu S, Shen L, Zhang M, Sheng B, Li P, Kang K, Wu L, Fang Q, Long X, Liu X, Wang X, Li Y, Ye Y, Ye J, Bao Y, Zhao Y, Xu G, Panagiotou G[#], Xu A[#], and Jia W[#] (2024) Resistant starch intake facilitates weight loss in humans by reshaping the gut microbiota. *Nat Metab* 6(3), 578-597.

Wang Y^{*}, Chen J^{*}, Ni Y, Liu Y, Gao X, Tse MA, Panagiotou G[#], Xu A[#] (2024) Exercise-changed gut mycobiome as a potential contributor to metabolic benefits in diabetes prevention: an integrative multi-omics study *Gut Microbes* 16(1), 2416928.

Csader S^{*}, Chen X^{*}, Leung H^{*}, Männistö V, Pentikäinen H, Tauriainen MM, Savonen K, El-Nezami H, Schwab U[#], Panagiotou G[#] (2023) Gut ecological networks reveal associations between bacteria, exercise and clinical profile in non-alcoholic fatty liver disease patients. *mSystems* 8(5), e0022423.

Leung H, Xiong L, Ni Y, Busch A, Bauer M, Press AT, Panagiotou G (2023) Impaired flux of bile acids from the liver to the gut reveals microbiome-immune interactions associated with liver damage. *NPJ Biofilms and microbiomes* 9(1), 35.

Ni Y^{*}, Qian L^{*}, Leal Siliceo S^{*}, Long X^{*}, Nychas E, Liu Y, Ismaiah MJ, Leung H, Zhang L, Gao Q, Wu Q, Zhang Y, Jia Xi, Liu S, Yuan R, Zhou L, Wang X, Li Q, Zhao Y, El-Nezami H, Xu A, Xu G[#], Li H[#], Panagiotou G[#], Jia W[#] (2023) Resistant starch decreases intrahepatic triglycerides in NAFLD patients via gut microbiome alterations. *Cell Metab* 35(9), 1530-1547.

Patumcharoenpol P, Kingkaw A, Nakphaichit M, Chatchatee P, Suratannon N[#], Panagiotou G,

Vongsangnak W[#] (2023) Exploring longitudinal gut microbiome towards metabolic functional changes associated in atopic dermatitis in early childhood. *Biology (Basel)* 12(9), 1262-1277.

Leung H, Long X, Ni Y, Qian L, Nychas E, Siliceo SL, Pohl D, Hanhineva K, Liu Y, Xu A, Nielsen HB, Belda E, Clément K, Loomba R, Li H, Jia W, Panagiotou G (2022) Risk assessment with gut microbiome and metabolite markers in NAFLD development. *Sci Transl Med* 14(648), eabk0855.

Haange SB, Jehmlich N, Krügel U, Hintschich C, Wehrmann D, Hankir M, Seyfried F, Froment J, Hübschmann T, Müller S, Wissenbach DK, Kang K, Buettner C, Panagiotou G, Noll M, Rolle-Kampczyk U, Fenske W, von Bergen M (2020) Gastric bypass surgery in a rat model alters the community structure and functional composition of the intestinal microbiota independently of weight loss. *Microbiome* 8(1), 13.

Liu Y, Wang Y, Ni Y, Cheung CKY, Lam KSL, Wang Y, Xia Z, Ye D, Guo J, Tse MA, Panagiotou G^{**}, Xu A^{**} (corresponding authors^{**}) (2020) Gut microbiome fermentation determines the efficacy of exercise for diabetes prevention. *Cell Metab* 31(1), 77-91.

Nie X, Chen J, Ma X, Ni Y, Shen Y, Yu H, Panagiotou G^{**}, Bao Y^{**} (corresponding authors^{**}) (2020) A metagenome-wide association study of gut microbiome and visceral fat accumulation. *Comput Struct Biotechnol J* 18, 2596-2609.

Zhang L, Ouyang Y, Li H, Shen L, Ni Y, Fang Q, Wu G, Qian L, Xiao Y, Zhang J, Yin P, Panagiotou G, Xu G, Ye J, Jia W (2019) Metabolic phenotypes and the gut microbiota in response to dietary resistant starch type 2 in normal-weight subjects: a randomized crossover trial. *Sci Rep* 9(1), 4736.

*equal contribution #corresponding author