

The CCAAT-binding complex (CBC) in *Aspergillus* species.

Hortschansky P, Haas H, Huber EM, Groll M, Brakhage AA (2017) The CCAAT-binding complex (CBC) in *Aspergillus* species. *Biochim Biophys Acta* 1860(5), 560-570. (Review)

[Details](#)



Abstract

The CCAAT binding complex (CBC), consisting of a heterotrimeric core structure, is highly conserved in eukaryotes and constitutes an important general transcriptional regulator. Scope of the review. In this review we discuss the scientific history and the current state of knowledge of the multiple gene regulatory functions, protein motifs and structure of the CBC in fungi with a special focus on *Aspergillus* species. Major conclusions and general significance. Initially identified as a transcriptional activator of respiration in *Saccharomyces cerevisiae*, in other fungal species the CBC was found to be involved in highly diverse pathways, but a general rationale for its involvement was missing. Subsequently, the CBC was found to sense reactive oxygen species through oxidative modifications of cysteine residues in order to mediate redox regulation. Moreover, via interaction with the iron-sensing bZIP transcription factor HapX, the CBC was shown to mediate adaptation to both iron starvation and iron excess. Due to the control of various pathways in primary and secondary metabolism the CBC is of crucial importance for fungal virulence in both animal and plant hosts as well as antifungal resistance. Consequently, CBC-mediated control affects biological processes that are of high interest in biotechnology, agriculture and infection medicine.

Beteiligte Forschungseinheiten

[Molekulare und Angewandte Mikrobiologie Axel Brakhage](#) [Mehr erfahren](#)

Leibniz-HKI-Autor*innen



Axel A. Brakhage

[Details](#)



Peter Hortschansky

[Details](#)

Identifier

doi: 10.1016/j.bbagrm.2016.11.008

PMID: 27939757

