

Longitudinal transcriptional analysis of vertebrate aging identifies mitochondrial complex I as a small molecule-sensitive modifier of lifespan.

Baumgart M, Priebe S, Groth M, Hartmann N, Menzel U, Pandolfini L, Ristow M, Englert C, Guthke R, Platzer M, Cellerino A (2016) Longitudinal transcriptional analysis of vertebrate aging identifies mitochondrial complex I as a small molecule-sensitive modifier of lifespan. *Cell Systems* 2(2), 122-132.

[Details](#)



Abstract

Mutations and genetic variability affect gene expression and lifespan, but the impact of variations in gene expression within individuals on their aging-related mortality is poorly understood. We performed a longitudinal study in the short-lived killifish, *Nothobranchius furzeri*, and correlated quantitative variations in gene expression during early adult life with lifespan. Shorter- and longer-lived individuals differ in their gene expression before the onset of aging-related mortality; differences in gene expression are more pronounced early in life. We identified mitochondrial respiratory chain complex I as a hub in a module of genes whose expression is negatively correlated with lifespan. Accordingly, partial pharmacological inhibition of complex I by the small molecule rotenone reversed aging-related regulation of gene expression and extended lifespan in *N. furzeri* by 15%. These results support the use of *N. furzeri* as a vertebrate model for identifying the protein targets, pharmacological modulators, and individual-to-individual variability associated

with aging.

Beteiligte Forschungseinheiten

[Microbiome Dynamics](#) [Gianni Panagiotou](#) [Mehr erfahren](#)

Leibniz-HKI-Autor*innen



Reinhard Guthke

[Details](#)



Uwe Menzel

[Details](#)



Steffen Priebe

[Details](#)

Themenfelder

[Management heterogener Experimentaldaten](#)

Identifizier

doi: 10.1016/j.cels.2016.01.014

PMID: 27135165