

Expanding the rubterolone family: Intrinsic reactivity and directed diversification of PKS-derived pyrans.

Guo H, Benndorf R, König S, Lechnitz D, Weigel C, Peschel G, Berthel P, Kaiser M, Steinbeck C, Werz O, Poulsen M, Beemelmans C (2018) Expanding the rubterolone family: Intrinsic reactivity and directed diversification of PKS-derived pyrans. *Chem Eur J* 24(44), 11319-11324.

[Details](#)



Abstract

We characterized three key biosynthetic intermediates of the intriguing rubterolone family (tropolone alkaloids) that contain a highly reactive pyran moiety (1,5-dione) and undergo spontaneous pyridine formation in the presence of primary amines. We exploited the intrinsic reactivity of the pyran moiety and isolated several new rubterolone derivatives, two of which contain a unique thiazolidine moiety. Three rubterolone derivatives were chemically modified with fluorescence and biotin tags using peptide coupling and click reaction. Overall, eight derivatives were fully characterized by HRMS/MS and 1D and 2D NMR spectroscopy and their antimicrobial, cytotoxic, anti-inflammatory and antiparasitic activities evaluated.

This article has been selected for [a Frontispiece!](#)

Involved units

[Molecular and Applied Microbiology Axel Brakhage](#) [Read more](#)

[Chemical Biology of Microbe-Host Interactions Christine Beemelmans](#) [Read more](#)

[Bio Pilot Plant Miriam Agler-Rosenbaum](#) [Read more](#)

[Jena Microbial Resource Collection Kerstin Voigt](#) [Read more](#)

Leibniz-HKI-Authors



Christine Beemelmans

[Details](#)



René Benndorf

[Details](#)




Patrick Berthel

[Details](#)



Huijuan Guo

[Details](#)



Daniel Lechnitz

[Details](#)



Gundela Peschel

[Details](#)



Christiane Weigel

[Details](#)

Identifier

doi: 10.1002/chem.201802066

PMID: 29846024