



Sundar Hengoju

[Bio Pilot Plant](#) +49 3641 532-1490 sundar.hengoju@leibniz-hki.de

Topics

[Droplet-based micro-fluidics](#)

[InfectoOptics-VersaDrop](#)

Publications

Pourmasoumi F,^{*} Hengoju S,^{*} Beck K, Stephan P, Klopffleisch L, Hoernke M, Rosenbaum MA, Kries H (2023) Analysing megasynthetase mutants at high throughput using droplet microfluidics. *Chembiochem* 24(24), e202300680.

[Details](#)

PubMed

OPEN ACCESS

PAPER

Weber T, Hengoju S, Samimi A, Roth M, Tovar M, Rosenbaum MA (2022) Recovery and isolation of individual microfluidic picoliter droplets by triggered deposition. *Sens Actuators B Chem* 369, 132289.

[Details](#)

OPEN ACCESS

Hengoju S, Shvydkiv O, Tovar M, Roth M, Rosenbaum MA (2021) Advantages of optical fibers for facile and enhanced detection in droplet microfluidics. *Biosens Bioelectron* 200, 113910. (Review)

[Details](#)

PubMed

OPEN ACCESS



Kästner B, Hengoju S, Svensson CM, Figge MT, Rosenbaum MA (2021) Mit Tropfenmikrofluidik zu Hochgeschwindigkeits-Biotechnologie. *BIOspektrum* 27(3), 260-262. (Review)

[Details](#)



Hengoju S, Wohlfeil S, Munser AS, Shvydkiv O, Boehme S, Beckert E, Tovar M, Roth M, Rosenbaum MA (2020) Optofluidic detection setup for multi-parametric analysis of microbiological samples in droplets. *Biomicrofluidics* 14(2), 024109.

[Details](#)



Tovar M, Hengoju S, Weber T, Mahler L, Choudhary M, Becker T, Roth M (2019) One sensor for multiple colors: Fluorescence analysis of microdroplets in microbiological screenings by frequency-division multiplexing. *Anal Chem* 91(4), 3055-3061.

[Details](#)



Tovar M, Weber T, Hengoju S, Lovera A, Munser AS, Shvydkiv O, Roth M (2018) 3D-glass molds for facile production of complex droplet microfluidic chips. *Biomicrofluidics* 12(2), 024115.


[Details](#)



[Publication list as PDF](#)

News

—



[From picoliter droplet to agar plate. Researchers at Leibniz-HKI have developed a method for transferring microbial cultures in tiny droplets to larger cultures, thus creating a fast and s...](#)
08/08/2022 [Read more](#)