

***Candida albicans* Mrv8, is involved in epithelial damage and biofilm formation.**

Costa ACBP, Back-Brito GN, Mayer FL, Hube B, Wilson D (2020) *Candida albicans* Mrv8, is involved in epithelial damage and biofilm formation. *FEMS Yeast Res* 20(5), foaa033.

[Details](#)



Abstract


Candida albicans is the most common human fungal pathogen that can cause superficial and deep-seated infections in susceptible individuals. Despite its medical importance, the vast majority of *C. albicans* genes remain of unknown function. Here, we report a role for the lineage-specific gene, MRV8, in host pathogen interactions, mycelial microcolony maturation and biofilm formation. In silico analysis indicated that MRV8 encodes a four-pass transmembrane protein unique to the closely related pathogens *C. albicans* and *Candida dubliniensis*. Deletion of MRV8 did not affect *C. albicans* adherence to, or initial invasion into human oral epithelia, but inhibited mycelial development and strongly reduced epithelial damage. *mrv8* Δ/Δ cells exhibited a media-dependent defect in biofilm formation and mutant biofilm metabolic activity was enhanced by cyclosporin A. *mrv8* Δ/Δ biofilms were more tolerant to treatment with caspofungin, but not to fluconazole or amphotericin B. Co-stimulation with calcium chloride and calcofluor white rescued biofilm growth in

the presence of caspofungin, and this rescue-effect was Mrv8-dependent. Together, our data demonstrate an important role for a lineage-specific gene (MRV8) in *C. albicans* biofilm formation, drug tolerance and host-pathogen interactions.

Involved units

[Microbial Pathogenicity Mechanisms Bernhard Hube](#) [Read more](#)

Leibniz-HKI-Authors



Anna Carolina Borges Pereira da Costa

[Details](#)



Bernhard Hube

[Details](#)



François Mayer

[Details](#)



Duncan Wilson

[Details](#)

Awards

FEMS Yeast Research Editor's Choice August 2020

Identifier

doi: 10.1093/femsyr/foaa033

PMID: 32584995