Biosynthesis and function of gliotoxin in *Aspergillus fumigatus*.

Scharf DH, Heinekamp T, Remme N, Hortschansky P, Brakhage AA, Hertweck C (2012) Biosynthesis and function of gliotoxin in *Aspergillus fumigatus*. *Appl Microbiol Biotechnol* 93(2), 467-472.

Details

PubMed

Abstract

Gliotoxin (GT) is the prototype of the epidithiodioxopiperazine (ETP)-type fungal toxins. GT plays a critical role in the pathobiology of Aspergillus fumigatus. It modulates the immune response and induces apoptosis in different cell types. The toxicity has been attributed to the unusual intramolecular disulfide bridge, which is the functional motif of all ETPs. Because of the extraordinary structure and activity of GT, this fungal metabolite has been the subject of many investigations. The biosynthesis of GT involves unprecedented reactions catalysed by recently discovered enzymes. Here, we summarize the recent progress in elucidating the GT biosynthetic pathway and its role in virulence.

Involved units

Biomolecular Chemistry Christian Hertweck Read more

Molecular and Applied Microbiology Axel Brakhage Read more

Leibniz-HKI-Authors




Axel A. Brakhage

Details



Thorsten Heinekamp

Details



Christian Hertweck

Details



Peter Hortschansky

Details



Daniel H. Scharf

Details

Identifier

doi: 10.1007/s00253-011-3689-1

PMID: 22094977