

Publications

Mahler L, Niehs SP, Martin K, Weber T, Scherlach K, Hertweck C, Roth M, Rosenbaum MA (2021) Highly parallelized droplet cultivation and prioritization of antibiotic producers from natural microbial communities. *eLife* 10, e64774.

Tovar M, Mahler L, Buchheim S, Roth M, Rosenbaum M (2020) Monitoring and external control of pH in microfluidic droplets during microbial culturing. *Microb Cell Fact* 19(1), 16.

Svensson C-M^{*}, Shydkiv O^{*}, Dietrich S, Mahler L, Weber T, Choudhary M, Tovar M, Figge MT^{**}, Roth M^{**}; ^{*} authors contributed equally; ^{*} corresponding authors; ^{**} authors contributed equally (2019) Coding of experimental conditions in microfluidic droplet assays using colored beads and machine learning supported image analysis. *Small* 15(4), e1802384.

Tovar M, Hengoju S, Weber T, Mahler L, Choudhary M, Becker T, Roth M (2019) One sensor for multiple colors: Fluorescence analysis of microdroplets in microbiological screenings by frequency-division multiplexing. *Anal Chem* 91(4), 3055-3061.

Mahler L, Wink K, Beulig RJ, Scherlach K, Tovar M, Zang E, Martin K, Hertweck C, Belder D, Roth M (2018) Publisher Correction: Detection of antibiotics synthesized in microfluidic picolitre-droplets by various actinobacteria. *Sci Rep* 8(1), 15859.

Wink K, Mahler L, Beulig J, Piendl S, Roth M, Belder D (2018) An integrated chip-mass spectrometry and epifluorescence approach for online monitoring of bioactive metabolites from incubated Actinobacteria in picoliter droplets. *Anal Bioanal Chem* 410(29), 7679-7687.

Mahler L, Tovar M, Weber T, Brandes S, Rudolph MM, Ehgartner J, Mayr T, Figge MT, Roth M, Zang E (2015) Enhanced and homogeneous oxygen availability during incubation of microfluidic droplets. *RSC Advances* 5, 101871-101878.

^{*} equal contribution [#] corresponding author