

Publications

Herisse M, Ishida K, Staiger-Creed J, Judd L, Williams SJ, Howden BP, Stinear TP, Dahse HM, Voigt K, Hertweck C, Pidot SJ (2023) Discovery and biosynthesis of the cytotoxic polyene terpenomycin in human pathogenic *Nocardia*. *ACS Chem Biol* 18(8), 1872-1879.

Trottmann F, Fiedler J, Ishida K, Ishida-Ito M, Little RF, Hertweck C (2023) Bacterial pathogen channels medium-sized fatty acids into malleicyprol biosynthesis. *ACS Chem Biol* 18(7), 1557-1563.

Bredy F, Ishida K, Hertweck C (2022) A type III polyketide synthase specific for sporulating negativicutes is responsible for alkylpyrone biosynthesis. *ChemBioChem* 23(21), e202200431.

Kim HJ, Ishida K, Hertweck C (2022) Thiotemplated biosynthesis of bacterial polyyne fatty acids by a designated desaturase triad. *ChemBioChem* 23(21), e202200430.

Kim HJ, Ishida K, Ishida-Ito M, Hertweck C (2022) Sequential allylic alcohol formation by a multifunctional cytochrome P450 monooxygenase with rare redox partners. *Angew Chem Int Ed* 61(26), e202203264.

Krumbholz J, Ishida K, Baunach M, Teikari JE, Rose MM, Sasso S, Hertweck C, Dittmann E (2022) Deciphering chemical mediators regulating specialized metabolism in a symbiotic cyanobacterium. *Angew Chem Int Ed* 61(26), e202204545.

Trottmann F, Ishida K, Ishida-Ito M, Kries H, Groll M, Hertweck C (2022) Pathogenic bacteria remodel central metabolic enzyme to build a cyclopropanol warhead. *Nat Chem* 14(8), 884-890.

Ishida K, Shabuer G, Schieferdecker S, Pidot SJ, Stinear TP, Knuepfer U, Cyrulies M, Hertweck C (2020) Oak-associated negativicute equipped with ancestral aromatic polyketide synthase produces antimycobacterial dendrubins. *Chem Eur J* 26(58), 13147-13151.

Neuwirth T, Letzel AC, Tank C, Ishida K, Cyrulies M, Schmötz L, Lorkowski S, Hertweck C (2020) Induced production, synthesis and immunomodulatory action of clostrisulfone, a diarylsulfone from *Clostridium acetobutylicum*. *Chemistry* 26(68), 15855-15858.

Niehs SP, Kumpfmüller J, Dose B, Little RF, Ishida K, Florez LV, Kaltenpoth M, Hertweck C (2020) Insect-associated bacteria assemble the antifungal butenolide gladiofungin by non-canonical polyketide chain termination. *Angew Chem Int Ed* 59(51), 23122-23126.

Trottmann F, Ishida K, Franke J, Stanišić A, Ishida-Ito M, Kries H, Pohnert G, Hertweck C (2020) Sulfonium acids loaded onto an unusual thiotemplate assembly line construct the cyclopropanol warhead of a *Burkholderia* virulence factor. *Angew Chem Int Ed* 59(32), 13511-13515.

Bratovanov EV, Ishida K, Heinze B, Pidot SJ, Stinear TP, Hegemann JD, Marahiel MA, Hertweck C (2019) Genome mining and heterologous expression reveal two distinct families of lasso peptides highly conserved in endofungal bacteria. *ACS Chem Biol* 15(5), 1169-1176.

Herisse M, Ishida K, Porter JL, Howden B, Hertweck C, Stinear TP, Pidot SJ (2019) Identification and mobilization of a cryptic antibiotic biosynthesis gene locus from a human-pathogenic nocardia isolate. *ACS Chem Biol* 15(5), 1161-1168.

Hermenau R, Mehl JL, Ishida K, Dose B, Ishida-Ito M, Pidot SJ, Stinear TP, Hertweck C (2019) Genomics-driven discovery of NO-donating diazeniumdiolate siderophores in diverse plant-associated bacteria. *Angew Chem Int Ed* 58(37), 13024-13029.

Pancrace C, Ishida K, Briand E, Gatte Pichi D, Weiz AR, Guljamow A, Scalvenzi T, Sasse N, Hertweck C, Dittmann E, Gugger M (2019) Unique biosynthetic pathway in bloom-forming cyanobacterial genus *Microcystis* jointly assembles cytotoxic aeruginoguanidines and microguanidines. *ACS Chem Biol* 14(1), 67-75.

Peng H, Ishida K, Hertweck C (2019) Loss of single domain function in modular assembly line alters size and shape of complex polyketide. *Angew Chem Int Ed* 58(50), 18252-18256.

Peng H, Ishida K, Sugimoto Y, Jenke-Kodama H, Hertweck C (2019) Emulating evolutionary processes to morph aureothin-type modular polyketide synthases and associated oxygenases. *Nat Commun* 10(1), 3918.

Schieferdecker S, Shabuer G, Letztel AC, Urbansky B, Ishida-Ito M, Ishida K, Cyrulies M, Dahse HM, Pidot S, Hertweck C (2019) Biosynthesis of diverse antimicrobial and antiproliferative acyloins in anaerobic bacteria. *ACS Chem Biol* 14(7), 1490-1497.

Trottmann F, Franke J, Ishida K, Garcia-Altares M, Hertweck C (2019) A pair of bacterial siderophores releases and traps an intercellular signal molecule: An unusual case of natural nitrone bioconjugation. *Angew Chem Int Ed* 58(1), 200-204.

Trottmann F, Franke J, Richter I, Ishida K, Cyrulies M, Dahse HM, Regestein L, Hertweck C (2019) Cyclopropanol warhead in malleicyprol confers virulence of human- and animal-pathogenic *Burkholderia* species. *Angew Chem Int Ed* 58(40), 14129-14133.

Hermenau R, Ishida K, Gama S, Hoffmann B, Pfeifer-Leeg M, Plass W, Mohr JF, Wichard T, Saluz HP, Hertweck C (2018) Gramibactin is a bacterial siderophore with a diazeniumdiolate ligand system. *Nat Chem Biol* 14(9), 841-843.

Litomska A, Ishida K, Dunbar KL, Boettger M, Coyne S, Hertweck C (2018) Enzymatic thioamide formation in a bacterial antimetabolite pathway. *Angew Chem Int Ed* 57(36), 11574-11578.

Guljamow A, Kreische M, Ishida K, Liaimer A, Altermark B, Bähr L, Hertweck C, Ehwald R, Dittmann E (2017) High-density cultivation of terrestrial *Nostoc* strains leads to reprogramming of secondary metabolome. *Appl Environ Microbiol*,

Shao Y, Chen B, Sun C, Ishida K, Hertweck C, Boland W (2017) Symbiont-Derived Antimicrobials Contribute to the Control of the Lepidopteran Gut Microbiota. *Cell Chem Biol* 24(1), 66-75.

Franke J, Ishida K, Hertweck C (2015) Plasticity of the Malleobactin Pathway and its Impact on Siderophore Action in Human Pathogenic Bacteria. *Chemistry* 21(22), 8010-8014.

Liaimer A, Helfrich EJ, Hinrichs K, Guljamow A, Ishida K, Hertweck C, Dittmann E (2015) Nostopeptolide plays a governing role during cellular differentiation of the symbiotic cyanobacterium *Nostoc punctiforme*. *Proc Natl Acad Sci U S A* 112(6), 1862-1867.

Medema MH, Kottmann R, Yilmaz P, Cummings M, Biggins JB, Blin K, de Brujin I, Chooi YH, Claesen J, Coates RC, Cruz-Morales P, Duddela S, Düsterhus S, Edwards DJ, Fewer DP, Garg N, Geiger C, Gomez-Escribano JP, Greule A, Hadjithomas M, Haines AS, Helfrich EJ, Hillwig ML,

Ishida K, Jones AC, Jones CS, Jungmann K, Kegler C, Kim HU, Kötter P, Krug D, Masschelein J, Melnik AV, Mantovani SM, Monroe EA, Moore M, Moss N, Nützmann HW, Pan G, Pati A, Petras D, Reen FJ, Rosconi F, Rui Z, Tian Z, Tobias NJ, Tsunematsu Y, Wiemann P, Wyckoff E, Yan X, Yim G, Yu F, Xie Y, Aigle B, Apel AK, Balibar CJ, Balskus EP, Barona-Gómez F, Bechthold A, Bode HB, Borrius R, Brady SF, Brakhage AA, Caffrey P, Cheng YQ, Clardy J, Cox RJ, De Mot R, Donadio S, Donia MS, van der Donk WA, Dorrestein PC, Doyle S, Driessen AJ, Ehling-Schulz M, Entian KD, Fischbach MA, Gerwick L, Gerwick WH, Gross H, Gust B, Hertweck C, Höfte M, Jensen SE, Ju J, Katz L, Kaysser L, Klassen JL, Keller NP, Kormanec J, Kuipers OP, Kuzuyama T, Kyrides NC, Kwon HJ, Lautru S, Lavigne R, Lee CY, Linquan B, Liu X, Liu W, Luzhetskyy A, Mahmud T, Mast Y, Méndez C, Metsä-Ketelä M, Micklefield J, Mitchell DA, Moore BS, Moreira LM, Müller R, Neilan BA, Nett M, Nielsen J, O'Gara F, Oikawa H, Osbourn A, Osburne MS, Ostash B, Payne SM, Pernodet JL, Petricek M, Piel J, Ploux O, Raaijmakers JM, Salas JA, Schmitt EK, Scott B, Seipke RF, Shen B, Sherman DH, Sivonen K, Smanski MJ, Sosio M, Stegmann E, Süßmuth RD, Tahlan K, Thomas CM, Tang Y, Truman AW, Viaud M, Walton JD, Walsh CT, Weber T, van Wezel GP, Wilkinson B, Willey JM, Wohlleben W, Wright GD, Ziemert N, Zhang C, Zotchev SB, Breitling R, Takano E, Glöckner FO (2015) Minimum information about a biosynthetic gene cluster. *Nat Chem Biol* 11, 625-631.

Shabuer G, Ishida K, Pidot SJ, Roth M, Dahse HM, Hertweck C (2015) Plant pathogenic anaerobic bacteria use aromatic polyketides to access aerobic territory. *Science* 350(6261), 670-674.

Sugimoto Y, Ishida K, Traitcheva N, Busch B, Dahse HM, Hertweck C (2015) Freedom and constraint in engineered noncolinear polyketide assembly lines. *Chem Biol* 22(2), 229-240.

Cai X, Ng K, Panesar H, Moon SJ, Paredes M, Ishida K, Hertweck C, Minehan TG (2014) Total synthesis of the antitumor natural product polycarcin V and evaluation of its DNA binding profile. *Org Lett* 16(11), 2962-2965.

Franke J, Ishida K, Hertweck C (2014) Evolution of siderophore pathways in human pathogenic bacteria. *J Am Chem Soc* 136(15), 5599-5602.

Gatte-Picchi D, Weiz A, Ishida K, Hertweck C, Dittmann E (2014) Functional analysis of environmental DNA-derived microviridins provides new insights into the diversity of the tricyclic peptide family. *Appl Environ Microbiol* 80(4), 1380-1387.

Sugimoto Y, Ding L, Ishida K, Hertweck C (2014) Rational design of modular polyketide synthases: morphing the aureothin pathway into a luteoreticulin assembly line. *Angew Chem Int Ed Engl* 53(6), 1560-1564.

Weiz AR, Ishida K, Quitterer F, Meyer S, Kehr JC, Müller KM, Groll M, Hertweck C, Dittmann E (2014) Harnessing the evolvability of tricyclic microviridins to dissect protease-inhibitor interactions. *Angew Chem Int Ed Engl* 53(14), 3735-3738.

Franke J, Ishida K, Ishida-Ito M, Hertweck C (2013) Nitro versus hydroxamate in siderophores of pathogenic bacteria: effect of missing hydroxylamine protection in malleobactin biosynthesis. *Angew Chem Int Ed Engl* 52(32), 8271-8275.

Behnken S, Lincke T, Kloss F, Ishida K, Hertweck C (2012) Antiterminator-mediated unveiling of cryptic polythioamides in an anaerobic bacterium. *Angew Chem Int Ed Engl* 51(10), 2425-2428.

Ishida K, Lincke T, Hertweck C (2012) Assembly and absolute configuration of short-lived

polyketides from *Burkholderia thailandensis*. *Angew Chem Int Ed Engl* 51(22), 5470-5474.

Richter M, Busch B, Ishida K, Moore BS, Hertweck C (2012) Pyran formation by an atypical CYP-mediated four-electron oxygenation-cyclization cascade in an engineered aureothin pathway. *Chembiochem* 13(15), 2196-2199.

Scherlach K, Brendel N, Ishida K, Dahse HM, Hertweck C (2012) Photochemical oxazole-nitrile conversion downstream of rhizoxin biosynthesis and its impact on antimitotic activity. *Org Biomol Chem* 10(30), 5756-5759.

Liaimer A, Jenke-Kodama H, Ishida K, Hinrichs K, Stangeland J, Hertweck C, Dittmann E (2011) A polyketide interferes with cellular differentiation in the symbiotic cyanobacterium *Nostoc punctiforme*. *Environ Microbiol Rep* 3(5), 550-558.

Ishida K, Lincke T, Behnken S, Hertweck C (2010) Induced biosynthesis of cryptic polyketide metabolites in a *Burkholderia thailandensis* quorum sensing mutant. *J Am Chem Soc* 132(40), 13966-13968.

Lincke T, Behnken S, Ishida K, Roth M, Hertweck C (2010) Closthioamide: an unprecedented polythioamide antibiotic from the strictly anaerobic bacterium *Clostridium cellulolyticum*. *Angew Chem Int Ed Engl* 49(11), 2011-2013.

Ziemert N, Ishida K, Weiz A, Hertweck C, Dittmann E (2010) Exploiting the natural diversity of microviridin gene clusters for discovery of novel tricyclic depsipeptides. *Appl Environ Microbiol* 76(11), 3568-3574.

Ishida K, Welker M, Christiansen G, Cadel-Six S, Bouchier C, Dittmann E, Hertweck C, Tandeau de Marsac N (2009) Plasticity and evolution of aeruginosin biosynthesis in cyanobacteria. *Appl Environ Microbiol* 75(7), 2017-2026.

Fritzsche K, Ishida K, Hertweck C (2008) Orchestration of discoid polyketide cyclization in the resistomycin pathway. *J Am Chem Soc* 130(26), 8307-8316.

Nguyen T, Ishida K, Jenke-Kodama H, Dittmann E, Gurgui C, Hochmuth T, Taudien S, Platzer M, Hertweck C, Piel J (2008) Exploiting the mosaic structure of trans-acyltransferase polyketide synthases for natural product discovery and pathway dissection. *Nat Biotechnol* 26(2), 225-233.

Ziemert N, Ishida K, Liaimer A, Hertweck C, Dittmann E (2008) Ribosomal synthesis of tricyclic depsipeptides in bloom-forming cyanobacteria. *Angew Chem Int Ed Engl* 47(40), 7756-7759.

Ziemert N, Ishida K, Quillardet P, Bouchier C, Hertweck C, de Marsac NT, Dittmann E (2008) Microcyclamide biosynthesis in two strains of *Microcystis aeruginosa*: from structure to genes and vice versa. *Appl Environ Microbiol* 74(6), 1791-1797.

Ishida K, Christiansen G, Yoshida WY, Kurmayer R, Welker M, Valls N, Bonjoch J, Hertweck C, Börner T, Hemscheidt T, Dittmann E (2007) Biosynthesis and structure of aeruginoside 126A and 126B, cyanobacterial peptide glycosides bearing a 2-carboxy-6-hydroxyoctahydroindole moiety. *Chem Biol* 14(5), 565-576.

Ishida K, Fritzsche K, Hertweck C (2007) Geminal tandem C-methylation in the discoid resistomycin pathway. *J Am Chem Soc* 129(42), 12648-12649.

Palmu K, Ishida K, Mäntsälä P, Hertweck C, Metsä-Ketelä M (2007) Artificial reconstruction of two cryptic angucycline antibiotic biosynthetic pathways. *Chembiochem* 8(13), 1577-1584.

Partida-Martinez LP, de Looss CF, Ishida K, Ishida M, Roth M, Buder K, Hertweck C (2007) Rhizonin, the first mycotoxin isolated from the zygomycota, is not a fungal metabolite but is produced by bacterial endosymbionts. *Appl Environ Microbiol* 73(3), 793-797.

Ishida K, Maksimenka K, Fritzsche K, Scherlach K, Bringmann G, Hertweck C (2006) The boat-shaped polyketide resistoflavin results from re-facial central hydroxylation of the discoid metabolite resistomycin. *J Am Chem Soc* 128(45), 14619-14624.

*equal contribution #corresponding author