

# Publications

Goldmann M, Schmidt F, Kyrmizi I, Chamilos G, Brakhage AA (2021) Isolation and immunofluorescence staining of *Aspergillus fumigatus* conidia-containing phagolysosomes. *STAR Protoc* 2(1), 100328.

Blango MG, Pschibul A, Rivieccio F, Krüger T, Rafiq M, Jia L, Zheng T, Goldmann M, Voltersen V, Li J, Panagiotou G, Kniemeyer O, Brakhage AA (2020) Dynamic surface proteomes of allergenic fungal conidia. *J Proteome Res* 19(5), 2092-2104.

Schmidt F, Thywißen A, Goldmann M, Cunha C, Cseresnyés Z, Schmidt H, Rafiq M, Galiani S, Gräler MH, Chamilos G, Lacerda JF, Campos Jr A, Eggeling C, Figge MT, Heinekamp T, Filler SG, Carvalho A, Brakhage AA (2020) Flotillin-dependent lipid-raft microdomains are required for functional phagolysosomes against fungal infections. *Cell Rep* 32(7), 108017.

Bacher P, Hohnstein T, Beerbaum E, Röcker M, Blango MG, Kaufmann S, Röhmel J, Eschenhagen P, Grehn C, Seidel K, Rickerts V, Lozza L, Stervbo U, Nienen M, Babel N, Milleck J, Assenmacher M, Cornely OA, Ziegler M, Wisplinghoff H, Heine G, Worm M, Siegmund B, Maul J, Creutz P, Tabeling C, Ruwwe-Glösenkamp C, Sander LE, Knosalla C, Brunke S, Hube B, Kniemeyer O, Brakhage AA, Schwarz C, Scheffold A (2019) Human anti-fungal Th17 immunity and pathology rely on cross-reactivity against *Candida albicans*. *Cell* 176(6), 1340-1355.

\*equal contribution #corresponding author