

Philipp Kämmer (né Schmidt)

Alumni

Publikationen

Allert S, Schulz D, Kämmer P, Großmann P, Wolf T, Schäuble S, Panagiotou G, Brunke S, Hube B (2022) From environmental adaptation to host survival: Attributes that mediate pathogenicity of *Candida auris*. *Virulence* 13(1), 191-214.

[Details](#)



Kämmer P, McNamara S^{*}, Wolf T, Conrad T, Allert S, Gerwien F, Hänniger K, Kurzai O, Guthke R, Hube B, Linde J, Brunke S (2020) Survival strategies of pathogenic *Candida* species in human blood show independent and specific adaptations. *mBio* 11(5), e02435-20.

[Details](#)



Sieber P, Voigt K, Kämmer P, Brunke S, Schuster S, Linde J (2018) Comparative study on alternative splicing in human fungal pathogens suggests its involvement during host invasion. *Front Microbiol* 9, 2313.

[Details](#)



Wolf T, Kämmer P, Brunke S, Linde J (2018) Two's company: studying interspecies relationships with dual RNA-seq. *Curr Opin Microbiol* 42, 7-12. (Review)

[Details](#)



Gerwien F, Safyan A, Wisgott S, Hille F, Kämmer P, Linde J, Brunke S, Kasper L, Hube B (2016) A novel hybrid iron regulation network combines features from pathogenic and non-pathogenic yeasts. *mBio* 7(5), e01782-16.

[Details](#)



Khandelwal NK, Kämmer P, Förster TM, Singh A, Coste AT, Andes DR, Hube B, Sanglard D, Chauhan N, Kaur R, d'Enfert C, Mondal AK, Prasad R (2016) Pleiotropic effects of the vacuolar ABC transporter MLT1 of *Candida albicans* on cell function and virulence. *Biochem J* 473(11), 1537-1552.

[Details](#)



Song SP, Hennig A, Schubert K, Markwart R, Schmidt P, Prior IA, Böhmer FD, Rubio I (2013) Ras palmitoylation is necessary for N-Ras activation and signal propagation in growth factor signalling. *Biochem J* 454(2), 323-332.

[Details](#)



[Publikationsliste als PDF](#)